

Project : Installation Gaudi software on LG webOS screen with USB  
Versie : 5  
Datum : 13-5-2019

## Step 1: Setup your LG webOS scherm

If this is the first time you use the LG webOS monitor, you will need to carry out the following steps.

### Turn on your monitor

1. To begin with the setup, use the remote to turn on the LG monitor wait for it to fully power on.
  - a. After a few seconds you should see the Language Selection menu, go through this menu and press **OK**.
  - b. If your monitor doesn't boot to this menu you should perform a **Factory Reset**. How to do this, you can read in the tutorial: **Factory Reset**.
2. After Language and Country selection, you arrive in the **Rotation Menu**. If the monitor will be used in portrait mode, you can change **OSD Portrait Mode**. Please do **NOT** change **Content Rotation**. Press **next**.
3. Set your **internet connection**. It is preferable to use a wired connection. Press **Connect**.
4. **On/Off timer**: Please do not use this On/Off timer. You can manage the power on and power off in the Gaudi CMS. Press **Done**.
5. Congratulations! Your LG webOS monitor is now ready for the Gaudi software. To do this please go to the next step.



Project : Installation Gauddi software on LG webOS screen with USB  
Versie : 5  
Datum : 13-5-2019

## Step 2: Installation Gauddi software

Before installation of the Gauddi software you must have completed the first step (Setup your LG webOS monitor). Once you've done that you are ready to carry out the next step and update the firmware of webOS models with a USB stick. This allows you to quickly provide multiple monitors with new firmware.

Please [check in our online Support Center](#) if your webOS model is supported.

1. Download the following file (450-600mb):

Models (55XE3C 75XF3C):

[http://cdn.gauddi.com/firmware/webos/webOS3\\_042110.zip](http://cdn.gauddi.com/firmware/webos/webOS3_042110.zip)


Models (SM3C SM5C SM5KC 49UH5C 55UH5C 65UH5C 75XS2C LS75C LS73C)

[http://cdn.gauddi.com/firmware/webos/webOS3\\_043090.zip](http://cdn.gauddi.com/firmware/webos/webOS3_043090.zip)

2. Extract the zip file to the root of a USB stick. The file structure on the USB stick should look like this:

```
\LG_MONITOR\<<firmware>.epk  
\scap_installation.json
```

3. Make sure that the webOS monitor is turned off.
4. Insert the USB stick in the webOS monitor.
5. Turn the webOS monitor back on. The software update application will launch automatically.
6. Click on the "Update" button to start the firmware update. When the firmware update is ready, the monitor will automatically be rebooted.
7. After the reboot, the webOS monitor will automatically install the Gauddi player software.
8. When installation is ready, the webOS monitor will show there is no input signal. Please turn off the monitor, remove the USB stick and turn on the monitor again.
9. Congratulations! You have now successfully configured your LG monitor for Gauddi. You only need to connect your monitor with Gauddi CMS. To do this, please go to third and last step.



Project : Installation Gaudi software on LG webOS screen with USB  
Versie : 5  
Datum : 13-5-2019

### Step 3: Connect your LG webOS monitor with the Gaudi license

Before you can connect to Gaudi CMS, you will need to carry out two previous steps: the first one is setup your LG webOS monitor and the second one is to install the Gaudi software on your monitor. Finally, you connect your monitor to Gaudi CMS.

#### Open [cms.gaudi.com](https://cms.gaudi.com) (option 1)

1. Prior to this installation you purchased a license.
2. Open a browser on your phone or desktop computer and head to [cms.gaudi.com](https://cms.gaudi.com). Login using your credentials.
3. Go to the top right corner and click **register player**. Enter the registration code, this is the 8 digit number on the LG monitor. Give your monitor a name.
4. Press **register**. Your monitor will automatically connect with the Gaudi cms.
5. You can start creating and scheduling professional-quality campaigns. Need help? Watch our [How-To-Video on how to create Campaigns & Playlists](#).

#### Received a code from Gaudi (option 2)

1. Please make sure you see an 8-digit number on the LG monitor. Press **8, 8, 8, 8** on the remote.
2. Now you can enter the code you have received from Gaudi. After entering, press “OK”. The system will confirm that the LG monitor is registered to the Gaudi CMS.
3. Open a browser on your phone or desktop computer and head to [cms.gaudi.com](https://cms.gaudi.com). Login using your credentials.
4. You can start creating and scheduling professional-quality campaigns. Need help? Watch our [How-To-Video on how to create Campaigns & Playlists](#).

